


**EMERGENCY NUMBERS:**

 (USA) CHEMTREC : 1(800) 424-9300 (24hrs)  
 (CAN) CANUTEC : 1(613) 996-6666 (24hrs)  
 (USA) Anachemia : 1(518) 297-4444  
 (CAN) Anachemia : 1(514) 489-5711

WHMIS	Protective Clothing	TDG Road/Rail
Not controlled under WHMIS (Canada).		Not controlled under TDG (Canada). PIN: Not applicable. PG: Not applicable.
		

## Section I. Product Identification and Uses

<b>Product name</b>	<b>BUFFER SOLUTION pH 7.00 COLORED GREEN</b>	<b>CI#</b>	Not available.
<b>Chemical formula</b>	Not applicable.	<b>CAS#</b>	Not applicable.
<b>Synonyms</b>	R-1230CG, 15229	<b>Code</b>	R-1230CG
<b>Supplier</b>	Anachemia Canada. 255 Norman. Lachine (Montreal), Que H8R 1A3	<b>Formula weight</b>	Not applicable.
		<b>Supersedes</b>	
<b>Material uses</b>	For laboratory use only.		

## Section II. Ingredients

Name	CAS #	%	TLV
1) POTASSIUM PHOSPHATE, MONOBASIC	7778-77-0	1-5	Not established by ACGIH Exposure limit: ACGIH Ceiling limit 2 mg/m3
2) SODIUM HYDROXIDE	1310-73-2	<0.5	
3) WATER	7732-18-5	Balance	Not established by ACGIH

**Toxicity values of the hazardous ingredients**

 POTASSIUM PHOSPHATE, MONOBASIC:  
 ORAL (LD50): Acute: 71000 mg/kg (Rat).  
 DERMAL (LD50): Acute: >4640 mg/kg (Rabbit).

**Section III. Physical Data**

Physical state and appearance / Odor	Green liquid.
pH (1% soln/water)	Product = 7.00
Odor threshold	Not available.
Percent volatile	100% (w/w). ( WATER.)
Freezing point	Not available.
Boiling point	Not available.
Specific gravity	>1 (Water = 1)
Vapor density	Not available.
Vapor pressure	Not available.
Water/oil dist. coeff.	Not available.
Evaporation rate	Not available.
Solubility	Miscible in water.

**Section IV. Fire and Explosion Data**

Flash point	Not available.
Flammable limits	Not available.
Auto-ignition temperature	Not available.
Fire degradation products	Oxides of potassium, sodium, and phosphorus.
Fire extinguishing procedures	Use extinguishing media suitable for surrounding materials. Wear adequate personal protection to prevent contact with material or its combustion products. Self contained breathing apparatus with a full facepiece operated in a pressure demand or other positive pressure mode.
Fire and Explosion Hazards	The sensitivity to static discharge is not available. The sensitivity to impact is not available. Emits toxic fumes under fire conditions.

**Section V. Toxicological Properties**

Routes of entry	Inhalation and ingestion. Eye contact. Skin contact.
Effects of Acute Exposure	Harmful by ingestion, inhalation, or skin absorption.
Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	No specific information is available on this material.
Ingestion	No specific information is available on this material. Ingestion of large amounts of potassium phosphate monobasic may cause diarrhea, nausea, vomiting, abdominal pain, muscle weakness, and paralysis.

**Section V. Toxicological Properties**

**Effects of Chronic Overexposure** Repeated or prolonged skin contact may cause dermatitis. Carcinogenic effects: Not available. Mutagenic effects: Not available. Teratogenic effects: Not available. Toxicity of the product to the reproductive system: Not available. To the best of our knowledge, the chemical, physical, and toxicity of this substance has not been fully investigated.

**Section VI. First Aid Measures**

**Eye contact** Immediately flush eyes with copious quantities of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Call a physician.

**Skin contact** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reusing.

**Inhalation** Remove patient to fresh air. Administer approved oxygen supply if breathing is difficult. Administer artificial respiration or CPR if breathing has ceased. Call a physician.

**Ingestion** If conscious, wash out mouth with water. Have conscious person drink several glasses of water to dilute. Call a physician. Never give anything by mouth to an unconscious or convulsing person.

**Section VII. Reactivity Data**

**Stability** Stable. Conditions to avoid: High temperatures, sparks, open flames and all other sources of ignition, contamination.

**Hazardous decomp. products** Not available.

**Incompatibility** Bases, magnesium, oxidizing agents, acids.

**Reaction Products** Not available. Hazardous polymerization will not occur.

**Section VIII. Preventive Measures**


<b>Protective Clothing in case of spill and leak</b>	Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves.
<b>Spill and leak</b>	Absorb on sand or vermiculite and place in a closed container for disposal. Ventilate area and wash spill site after material pick up is complete. DO NOT empty into drains. DO NOT touch spilled material.
<b>Waste disposal</b>	According to all applicable regulations.
<b>Storage and Handling</b>	Store in a cool place away from heated areas, sparks, and flame. Store in a well ventilated area. Store away from incompatible materials. Do not add any other material to the container. Do not wash down the drain. Do not breathe gas/fumes/vapor/spray. In case of insufficient ventilation, wear suitable respiratory equipment. Keep container tightly closed and dry. Manipulate in a well ventilated area or under an adequate fume hood. Handle and open container with care. This product must be manipulated by qualified personnel. Do not get in eyes, on skin, or on clothing. Wash well after use. In accordance with good storage and handling practices. Do not allow smoking and food consumption while handling.

**Section IX. Protective Measures**

<b>Protective clothing</b>	Splash goggles. Impervious rubber gloves, apron, coveralls, and/or other resistant protective clothing. Sufficient to protect skin. A OSHA/MSHA jointly approved respirator is advised in the absence of proper environmental controls. Do not wear contact lenses. Make eye bath and emergency shower available. Ensure that eyewash station and safety shower is proximal to the work-station location.
<b>Engineering controls</b>	Local mechanical exhaust ventilation capable of minimizing emissions at the point of use. Do not use in unventilated spaces.

**Section X. Other Information**

**Special Precautions or comments** Harmful liquid! May cause irritation. Do not breathe vapor. Avoid all contact with the product. Avoid prolonged or repeated exposure. Manipulate in a well ventilated area or under an adequate fume hood. Handle and open container with care. Container should be opened only by a technically qualified person.



NFPA

Prepared by MSDS Department/Département de F.S..

Validated 12-Dec-2000

) Telephone# (514) 489-5711

*While the company believes the data set forth herein are accurate as of the date hereof, the company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.*